Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1. 14 29 11 BS

Month:

DOMESTIC WOOL: MONTHLY AVERAGE PRICE PER POUND, BOSTON MARKET, 1934
GRADED TERRITORY - SCOURED BASIS
(Cents per pound)

RECEIVED

641s, 701s, 801s (Fine) 58's, 60's (1/2 Blood) (Cents per pound) 56's (3/8 Blood) 48's, 50's(1/4 Blood) Low & Blood: 36's, 40's, 44's U. S. Department of Agriculture

	combing	combing	Clothing	combing	french combing	Clothing	:Strictly	Clothing	combing	Clothing	combing
Jan.	86.2	82.6	79.6	83.0	80.0	77.0	81.5			69.0	
Feb.	87.0	83.0	80.0	83.5	80.0	77.0	81.5°			6). 0	
Mar.	87.0	83.0	80.0	83 . 5	80.0	77.0	87 • 57			69.0	
Apr.	85.5	82.2	79.2	4.58	79.2	76.2	79.6			රිසි ද	
May	84.7	81.4	78.1	4.18	14.87	76.0	78.4			68.0	
June	821.5	31.0	78.0	81.0	78.0	76.0	78.0			6%.0	
July	8 ² +.5	81.0	0.87	81.0	78.0	76.0	78.0			68.0	
Aug.	76.0	73.6	67.8	73.5	69.0	Ğ.€	66.6	62.6	61.0	56.9	
Sept.	76.0	73.0	66.0	73.0	69.0	65.0	66.0			55°0	
Oct.	76.0	71.8	66.0	73.0	69.0	9.49	66.1			56.0	
Nov.	76.0	71.5	66.0	73.0	69.0	0.10	66.5			56.0	
Dec.	76.0	70.5	66.0	73.0	69.0	0.10	66.5	61.0		56.0	56.0
Av. (193)	81.6	77.9	73.8	78.4	7)1.9	71.5	74.2	4.69	67.5	63.3	59.6
	67.0	64.3	60.5	64.7	61.5	57.9	60 <u>.</u> 8	57.2	56.3	52.7	

Livestock, Meats and Wool Division, Bureau of Agricultural Economics, U. S. Department of Agriculture.

. (

. . .

the second secon

.

12021 8/2021 8/2021

DOMESTIC WOOL: MONTHLY AVERAGE PRICE PER POUND, BOSTON MARKET, 1934
GRADED OHIO AND SIMILAR - SCOURED BASIS
(Cents per pound)

LIBRARY
RECEIVED
* DEC 3 1943 *

U.S. Department of Agriculture

Av. (1934 (1933	Nov.	Oct.	Aug.	July	June	May	Apr.	Mar.	Feb.	Jan.	MOTICI	Month
78.9 67.8	69.0	70.8	75.9	77.5	79.9	83.1	4.58	87.5	87.5	86.9	: Strictly : combing	641s, 7
71.8 59.8	64.0	9.00	69.3	72.0	72.8	75.7	76.9	78.0	78.0	78.0	French combing	641s, 701s, 801s (
67.7 55.7	61.0	01.20	. . .	68.0	69.2	70.8	72.4	73.5	73.5	73.5	Clothing	(Fine)
72.2 60.9	64.0	000.00	70.0	70.0	72.0	75.3	77.0	80.0	80.0	78.5	: Strictly : combing	581s, 601s
67.4 55.3	59.0	600	75.	66.0	67.4	69.8	73.5	75.0	75.0	74.4	French combing	(1/2
63.8 52.5	54.5 54.5	56.33	5. 1 2	64.0	64.5	66.2	69.5	71.0	71.0	71.0	Clothing	Blood)
58.1	55.0	56.	2 00 2 00	63.5	63.5	68.0	74.0	79.5	79.5	79.5	Strictly combing	56's (3/8 Blood)
51.8	51.5	52.3	57.7	59.0	59.0	62.6	66.9	70.0	70.0	70.0	Clothing	6 Blood)
58.9 53.4	46.6	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	54.6	57.5	56.2	61.7	66.5	69.6	70.2	71.0	: Strictly combing	481s, 501s
52.8 46.7	43.5	15:	51. 51. 51.	53.0	•	•	59.6	•	•	•	Clothing	48's, 50's(1/4 Blood)
52.7 47.9	15.0 15.0	1. L. J.)1×.7	50.0	50.0	53.1	58.4	60.0	61.4		: Strictly combing): 46's (Low 4 Blood)
9.04	70.5		•	143.5	1+3.5		50°.	52.0	52.5	52.5	: Common and : braid	36's, 40's, 111's

Livestock, Meats and Wool Division, Bureau of Agricultural Economics, U. S. Department of Agriculture.

4 , f